
Harbor Isle City of St. Petersburg

Water Quality Analysis



Produced by: Sam Sardes, Weed Science Director Matt Kramer, Field Biologist

Report 2
Aquatic Glossary 3







888.480.LAKE (5253) solitudelakemanagement.com ©2020 All rights reserved


Water Quality Data: Harbor Isle, Site #3

Date: 1/13/2021

Site Readings									
Test	Desired Range	Action Level	Surface	Bottom	This lake is:				
Nutrients - Total Phosphorus	< 30 ppb	> 100 ppb	87	86	Normal				
Nutrients - Total Nitrogen	< 1200 ppb	>2000 ppb	6,741	6,690	High*				
Nutrients - Ammonia	< 100 ppb	>250 ppb	926	1,434	High*				
Clarity - Turbidity	< 5 NTU	NA	8.27	10.41	High*				
Salinity	< 0.5 ppt	NA	6.8	6.8	High*				
Water Clarity - Secchi Depth	≥ 4 Feet	N/A	3 L		Low*				







The TN/TP Ratio is: 77.64


When the TN/TP ratio is > 75, conditions are ideal for supporting healthy phytoplankton communities and aquatic food webs, especially for fisheries management. This ratio level should be maintained for the most balanced aquatic ecosystem.

The trophic lake health index is: 79

 Oligtrophic
 Mesotrophic
 Eutrophic
 Hypereutrophic

 0
 30
 60
 90
 120

Eutrophic lakes have a TSI of 41-100 and usually have intermittent plankton algae blooms, fair water clarity, muck accumulation, occasional odor, moderate dissolved oxygen levels, dense submersed plant growth and algae mats.



Indicates that this lake is:

Mixed: The dissolved oxygen and temperature profile shows this lake's water column is adequately mixed resulting in acceptable dissolved oxygen levels at lower depths, expanded fisheries habitat, less bottom muck and bad odors. It is recommended to monitor oxygen levels closely, particularly with seasonal changes.

Aquatic Stress Zone= FDEP dissolved oxygen criteria for Class III waters.



Observations

Since last month's sampling event, all parameters are holding steady. This is expected to happen in the winter months while the submersed aeration system is running.

This lake may see some changes in the nutrient levels and the algal bloom density as the weather warms back up in spring time and the annual rainy season begins again.

Additionally, extensive use of reclaimed water for irrigation over the dry season may cause an upswing in nutrient levels depending on the quantity utilized. This value is different for every waterbody and community that utilizes reclaimed water for irrigation.



Trophic State Index (TSI)

A Trophic State Index (TSI) provides a single quantitative result for the purpose of classifying and ranking lakes in terms of water quality.

Nutrients such as phosphorus are usually the limiting resource for algae and plant abundance and therefore are used in creating a TSI reference number. Generally, the higher the lakes TSI the greater the likelihood of elevated nutrient levels, increased algae problems and decreased water clarity.

Due to the dynamic nature of Florida's geology and differing climate zones, regional locations may differ slightly in what is considered a healthy water quality profile.

TSI Values	Trophic Status	Attributes
30-40	Oligotrophic	Clear water, few plants and algae, small bass
40-50	Mesotrophic	Water moderately clear, but increasing probability of anoxia, green algae are likely dominant, balanced fishery with medium sized bass
50-60	Eutrophic	Decreased transparency, occasional light algal blooms, lots of available food making for large bass
60-70	Eutrophic	Dominance of blue-green algae, algal scums possible, extensive macrophyte problems possible, higher probability of anoxia, fishery starting to decline
70-80	Hypereutrophic	Dominance of blue-green algae, frequent algal scums, higher probability of anoxia, stunted fishery
>80	Hypereutrophic	Algal scums, higher probability of anoxia, fish kills, few macrophytes, very poor water clarity

More information on data sources available upon request.

Nutrient Tested	Desired Range	Action Level	Issues with high levels	Likely causes of high levels			
Total Phosphorus	< 30 ppb	> 100 ppb	>100 ppb can unbalance the ecosystem	Reclaimed water discharge, landscape fertilizer runoff and agricultural drainage, phosphorus laden bottom sediments			
Total Nitrogen	< 1200 ppb	>2000 ppb	>1200 ppb can unbalance the ecosystem	Landscape fertilizer runoff			
Ammonia	< 100 ppb	>250 ppb	>500 ppb can be toxic to fish and animals	Organic decomposition, landscape/fertilizer runoff, and anoxic conditions (low oxygen)			

Nutrient Thresholds

The desired range is the threshold value recommended for freshwaters in order maintain a balanced ecosystem.

If nutrients are measured above the action level, it is likely that the nutrient levels may have a detrimental effect on aquatic life and long-term lake health. Action needs to be taken at this point to maintain a healthy ecosystem. Nutrients above the action level will require more maintenance.

TN/TP Ratio

The TN/TP ratio can provide a useful clue as to the relative importance of nitrogen or phosphorus toward the abundance of algae in a waterbody.

In general, the lower the TN/TP ratio the more cyanobacteria bacteria will be present (i.e., Microcystis) and the higher the TN/TP ratio the more desirable green algae will be present.

Studies done on TN/TP ratios have found good agreement in predicting the type of algae present (Schindler et al., 2008; Yoshimasa Amano et al., 2008).

Secchi depth

A mechanical test to judge water clarity, accomplished by lowering a black and white disk into the water and recording the point at which it can no longer be seen.

- Higher values indicate greater water clarity.
- Nutrient rich lakes tend to have Secchi depths less than 9 feet and highly enriched sites less than 3 feet.

Dissolved Oxygen

The most critical indicator of a lake's health and water quality.

- Oxygen is added to aquatic ecosystems by aquatic plants and algae through photosynthesis and by diffusion at the water's surface and atmosphere interface.
- Oxygen is required for fast oxidation of organic wastes including bottom muck.
- When the oxygen is used up in the bottom of the lake, anaerobic bacteria continue to breakdown organic materials, creating toxic gasses such as hydrogen sulfide.
- For a healthy game-fish population, oxygen levels should not go below 4.0 ppb